ELSEVIER

Molecular Cell Research

Vol. 1310, 1996

BBA Biochimica et Biophysica Acta

Author Index

Aggarwal, S.R. and Palmer, T.N.
Recovery from acute challenge with noradrenaline, vasopressin and angiotensin II in isolated rat hepatocytes (1310) 284
Ahern, J., see Shi, X.-P. (1310) 119
Aitken, A., see Beare, D. (1310) 81
Andaluz, E., see Basco, R.D. (1310) 110
Andrés, A., see Ruiz, A. (1310) 168
Angus, C.W., see Wu, T. (1310) 175
Arisawa, M., see Yang, H. (1310) 303
Artamonov, I.D., see Grigorjev, I.V. (1310) 131
Ayaki, M., see Hashimoto, C. (1310) 309

Baars, J.J.P., Op den Camp, H.J.M., Van der Drift, C., Joordens, J.J.M., Wijmenga, S.S., Van Griensven, L.J.L.D. and Vogels, G.D.
^{15}N-NMR study of ammonium assimilation in *Agaricus bisporus* (1310) 74
Ball, A., see Berts, A. (1310) 212
Banerjee, P., see Singh, J.K. (1310) 201
Baranova, L.A., see Grigorjev, I.V. (1310) 131
Barber, R., see Stickle, D. (1310) 242
Barges, S., see Lachuer, J. (1310) 127
Barré, H., see Lachuer, J. (1310) 127
Bartley, J., see Cowin, G.J. (1310) 32
Basco, R.D., Cueva, R., Andaluz, E. and Larriba, G.
In vivo processing of the precursor of the major exoglucanase by KEX2 endoprotease in the *Saccharomyces cerevisiae* secretory pathway (1310) 110
Beare, D., Learmonth, M., Wells, V., Aitken, A. and Mallucci, L.
Characterisation and antiproliferative activity of an α-type murine interferon from embryonic fibroblasts (1310) 81
Belloir, J., see Derbyshire, E.J. (1310) 86
Bérault, A., see Starzec, A.B. (1310) 348
Berts, A., Ball, A., Gylfe, E. and Hellman, B.
Suppression of Ca^{2+} oscillations in glucagon-producing α_2-cells by insulin/glucose and amino acids (1310) 212
Bochner, B.S., see Fraticelli, A. (1310) 251
Butenandt, O., see Yang, Y. (1310) 317

Capogrossi, M.C., see Fraticelli, A. (1310) 251
Chen, Z., see Talavera, F. (1310) 10
Cheng, C.Y., see Giacomelli, S. (1310) 269
Cohen-Adad, F., see Lachuer, J. (1310) 127
Comin, G.A., see Derbyshire, E.J. (1310) 86
Counis, R., see Starzec, A.B. (1310) 348
Couvreur, P., see Ropert, C. (1310) 53
Cowin, G.J., Willgoss, D.A. and Endre, Z.H.
Modulation of glycine-serine interconversion by TCA and glycolytic intermediates in normoxic and hypoxic proximal tubules (1310) 41
Cowin, G.J., Willgoss, D.A., Bartley, J. and Endre, Z.H.
Serine isotopomer analysis by ^{13}C-NMR defines glycine-serine interconversion in situ in the renal proximal tubule (1310) 32
Cubero, A., see Ruiz, A. (1310) 168
Cueva, R., see Basco, R.D. (1310) 110
Cui, Z.J., Hidaka, H. and Dannies, P.S.
KN-62, a calcium/calmodulin-dependent protein kinase II inhibitor, inhibits high potassium-stimulated prolactin secretion and intracellular calcium increases in anterior pituitary cells (1310) 343
Cymeryng, C.B., see Mele, P.G. (1310) 260

Dada, L.A., see Mele, P.G. (1310) 260
Dannies, P.S., see Cui, Z.J. (1310) 343
Davis, L.J., see Shi, X.-P. (1310) 119
Dawson, G., see Singh, J.K. (1310) 201
Derbyshire, E.J., Yang, Y.-C., Li, S., Comin, G.A., Belloir, J. and Thorpe, P.E.
Heparin-steroid conjugates lacking glucocorticoid or mineralocorticoid activities inhibit the proliferation of vascular endothelial cells (1310) 86
Dissing, S., see Gromada, J. (1310) 145
Duchamp, C., see Lachuer, J. (1310) 127

Endre, Z.H., see Cowin, G.J. (1310) 32
Endre, Z.H., see Cowin, G.J. (1310) 41
Eriksson, J.W., see Yu, Z.-W. (1310) 103

Fain, J.N., see Myles, M.E. (1310) 19
Feng, S., Xu, J., Wang, F., Kan, M. and McKeehan, W.L.
Nuclear localization of a complex of fibroblast growth factor(FGF)-1 and an NH2-terminal fragment of FGF receptor isoforms R4 and R1α in human liver cells (1310) 67
Fernández, M., see Ruiz, A. (1310) 168
Finkielstein, C.V., see Mele, P.G. (1310) 260
Fraticelli, A., Serrano Jr., C.V., Bochner, B.S., Capogrossi, M.C. and Zweier, J.L.
Hydrogen peroxide and superoxide modulate leukocyte adhesion molecule expression and leukocyte endothelial adhesion (1310) 251
Fukuda, H., see Hashimoto, C. (1310) 309
Funai, H., see Hashimoto, C. (1310) 309
Fürstenberger, G., see Hanke, B. (1310) 137

Ganz, S.E., see Slade, M.J. (1310) 25
García-Sáinz, J.A., see González-Espinosa, C. (1310) 217
Giacomelli, S., Leone, M.-G., Grima, J., Silvestrini, B. and Cheng, C.Y.
Astrocytes synthesize and secrete prostaglandin D synthetase in vitro (1310) 269
Glover, R.E., Mile, B., Rowlands, C.C. and Jackson, S.K.
Lipopolysaccharide decreases oxygen consumption by Mono Mac 6 cells; an electron paramagnetic resonance oximetry study (1310) 5
González-Calero, G., see Ruiz, A. (1310) 168
González-Espinosa, C. and García-Sáinz, J.A.
Hormonal modulation of c-*fos* expression in isolated hepatocytes. Effects of angiotensin II and phorbol myristate acetate on transcription and mRNA degradation (1310) 217
Grigorjev, I.V., Grits, A.I., Artamonov, I.D., Baranova, L.A. and Volotovski, I.D.
$\beta\gamma$-Transducin stimulates hydrolysis and synthesis of phosphatidylinositol 4,5-bisphosphate in bovine rod outer segment membranes (1310) 131
Grima, J., see Giacomelli, S. (1310) 269
Grits, A.I., see Grigorjev, I.V. (1310) 131

ELSEVIER

Molecular Cell Research

Vol. 1310, 1996

BBA Biochimica et Biophysica Acta

Author Index

Aggarwal, S.R. and Palmer, T.N.
Recovery from acute challenge with noradrenaline, vasopressin and angiotensin II in isolated rat hepatocytes (1310) 284
Ahern, J., see Shi, X.-P. (1310) 119
Aitken, A., see Beare, D. (1310) 81
Andaluz, E., see Basco, R.D. (1310) 110
Andrés, A., see Ruiz, A. (1310) 168
Angus, C.W., see Wu, T. (1310) 175
Arisawa, M., see Yang, H. (1310) 303
Artamonov, I.D., see Grigorjev, I.V. (1310) 131
Ayaki, M., see Hashimoto, C. (1310) 309

Baars, J.J.P., Op den Camp, H.J.M., Van der Drift, C., Joordens, J.J.M., Wijmenga, S.S., Van Griensven, L.J.L.D. and Vogels, G.D.
^{15}N-NMR study of ammonium assimilation in *Agaricus bisporus* (1310) 74
Ball, A., see Berts, A. (1310) 212
Banerjee, P., see Singh, J.K. (1310) 201
Baranova, L.A., see Grigorjev, I.V. (1310) 131
Barber, R., see Stickle, D. (1310) 242
Barges, S., see Lachuer, J. (1310) 127
Barré, H., see Lachuer, J. (1310) 127
Bartley, J., see Cowin, G.J. (1310) 32
Basco, R.D., Cueva, R., Andaluz, E. and Larriba, G.
In vivo processing of the precursor of the major exoglucanase by KEX2 endoprotease in the *Saccharomyces cerevisiae* secretory pathway (1310) 110
Beare, D., Learmonth, M., Wells, V., Aitken, A. and Mallucci, L.
Characterisation and antiproliferative activity of an α-type murine interferon from embryonic fibroblasts (1310) 81
Belloir, J., see Derbyshire, E.J. (1310) 86
Bérault, A., see Starzec, A.B. (1310) 348
Berts, A., Ball, A., Gylfe, E. and Hellman, B.
Suppression of Ca^{2+} oscillations in glucagon-producing α_2-cells by insulin/glucose and amino acids (1310) 212
Bochner, B.S., see Fraticelli, A. (1310) 251
Butenandt, O., see Yang, Y. (1310) 317

Capogrossi, M.C., see Fraticelli, A. (1310) 251
Chen, Z., see Talavera, F. (1310) 10
Cheng, C.Y., see Giacomelli, S. (1310) 269
Cohen-Adad, F., see Lachuer, J. (1310) 127
Comin, G.A., see Derbyshire, E.J. (1310) 86
Counis, R., see Starzec, A.B. (1310) 348
Couvreur, P., see Ropert, C. (1310) 53
Cowin, G.J., Willgoss, D.A. and Endre, Z.H.
Modulation of glycine-serine interconversion by TCA and glycolytic intermediates in normoxic and hypoxic proximal tubules (1310) 41
Cowin, G.J., Willgoss, D.A., Bartley, J. and Endre, Z.H.
Serine isotopomer analysis by ^{13}C-NMR defines glycine-serine interconversion in situ in the renal proximal tubule (1310) 32
Cubero, A., see Ruiz, A. (1310) 168
Cueva, R., see Basco, R.D. (1310) 110
Cui, Z.J., Hidaka, H. and Dannies, P.S.
KN-62, a calcium/calmodulin-dependent protein kinase II inhibitor, inhibits high potassium-stimulated prolactin secretion and intracellular calcium increases in anterior pituitary cells (1310) 343
Cymeryng, C.B., see Mele, P.G. (1310) 260

Dada, L.A., see Mele, P.G. (1310) 260
Dannies, P.S., see Cui, Z.J. (1310) 343
Davis, L.J., see Shi, X.-P. (1310) 119
Dawson, G., see Singh, J.K. (1310) 201
Derbyshire, E.J., Yang, Y.-C., Li, S., Comin, G.A., Belloir, J. and Thorpe, P.E.
Heparin-steroid conjugates lacking glucocorticoid or mineralocorticoid activities inhibit the proliferation of vascular endothelial cells (1310) 86
Dissing, S., see Gromada, J. (1310) 145
Duchamp, C., see Lachuer, J. (1310) 127

Endre, Z.H., see Cowin, G.J. (1310) 32
Endre, Z.H., see Cowin, G.J. (1310) 41
Eriksson, J.W., see Yu, Z.-W. (1310) 103

Fain, J.N., see Myles, M.E. (1310) 19
Feng, S., Xu, J., Wang, F., Kan, M. and McKeehan, W.L.
Nuclear localization of a complex of fibroblast growth factor(FGF)-1 and an NH2-terminal fragment of FGF receptor isoforms R4 and R1α in human liver cells (1310) 67
Fernández, M., see Ruiz, A. (1310) 168
Finkielstein, C.V., see Mele, P.G. (1310) 260
Fraticelli, A., Serrano Jr., C.V., Bochner, B.S., Capogrossi, M.C. and Zweier, J.L.
Hydrogen peroxide and superoxide modulate leukocyte adhesion molecule expression and leukocyte endothelial adhesion (1310) 251
Fukuda, H., see Hashimoto, C. (1310) 309
Funai, H., see Hashimoto, C. (1310) 309
Fürstenberger, G., see Hanke, B. (1310) 137

Ganz, S.E., see Slade, M.J. (1310) 25
García-Sáinz, J.A., see González-Espinosa, C. (1310) 217
Giacomelli, S., Leone, M.-G., Grima, J., Silvestrini, B. and Cheng, C.Y.
Astrocytes synthesize and secrete prostaglandin D synthetase in vitro (1310) 269
Glover, R.E., Mile, B., Rowlands, C.C. and Jackson, S.K.
Lipopolysaccharide decreases oxygen consumption by Mono Mac 6 cells; an electron paramagnetic resonance oximetry study (1310) 5
González-Calero, G., see Ruiz, A. (1310) 168
González-Espinosa, C. and García-Sáinz, J.A.
Hormonal modulation of c-*fos* expression in isolated hepatocytes. Effects of angiotensin II and phorbol myristate acetate on transcription and mRNA degradation (1310) 217
Grigorjev, I.V., Grits, A.I., Artamonov, I.D., Baranova, L.A. and Volotovski, I.D.
$\beta\gamma$-Transducin stimulates hydrolysis and synthesis of phosphatidylinositol 4,5-bisphosphate in bovine rod outer segment membranes (1310) 131
Grima, J., see Giacomelli, S. (1310) 269
Grits, A.I., see Grigorjev, I.V. (1310) 131

Gromada, J. and Dissing, S.
Membrane potential and cytosolic free calcium levels modulate acetylcholine-induced inositol phosphate production in insulin-secreting BTC3 cells (1310) 145
Gylfe, E., see Berts, A. (1310) 212

Hamada, K., Takuwa, N., Zhou, W., Kumada, M. and Takuwa, Y.
Protein kinase C inhibits the CAK-CDK2 cyclin-dependent kinase cascade and G1/S cell cycle progression in human diploid fibroblasts (1310) 149
Hamada, K., see Yang, H. (1310) 303
Hanke, B., Fürstenberger, G. and Marks, F.
Relationship between TGFα-induced DNA synthesis and prostaglandin synthesis in human HaCaT keratinocytes (1310) 137
Harding, L., Wang, Z. and Tai, H.-H.
Stimulation of prostaglandin E_2 synthesis by interleukin-1β is amplified by interferons but inhibited by interleukin-4 in human amnion-derived WISH cells (1310) 48
Hashimoto, C., Ayaki, M., Tanaka, K., Yamamoto, R., Fukuda, H., Funai, H., Wada, A. and Inui, Y.
Distribution and subcellular localization of a growth inhibitory factor in hamster liver and its intracellular partner(s) (1310) 309
He, L.-P. and Kitasato, H.
Glucagon induces Ca^{2+}-dependent increase of reduced pyridine nucleotides in mouse pancreatic β-cells (1310) 325
Hellman, B., see Berts, A. (1310) 212
Hidaka, H., see Cui, Z.J. (1310) 343
Higashiyama, S., see Ito, N. (1310) 163
Hoeflich, A., see Yang, Y. (1310) 317
Houde, M., Tremblay, P., Masure, S., Opdenakker, G., Oth, D. and Mandeville, R.
Synergistic and selective stimulation of gelatinase B production in macrophages by lipopolysaccharide, *trans*-retinoic acid and CGP 41251, a protein kinase C regulator (1310) 193

Ikezono, T., see Wu, T. (1310) 175
Imata, K., see Nakahata, N. (1310) 60
Inui, Y., see Hashimoto, C. (1310) 309
Ishikawa, K., see Kuzumaki, T. (1310) 185
Ishimoto, H., see Nakahata, N. (1310) 60
Ito, K., see Kuzumaki, T. (1310) 185
Ito, N., Higashiyama, S., Kawata, S., Tamura, S., Kiso, S., Tsushima, H., Nakagawa, T., Matsuzawa, Y. and Taniguchi, N.
Regulation of heparin-binding EGF-like growth factor expression by phorbol ester in a human hepatoma-derived cell line (1310) 163
Izuta, M., see Yang, H. (1310) 303

Jackson, S.K., see Glover, R.E. (1310) 5
Jones, J.K., see Slade, M.J. (1310) 25
Joordens, J.J.M., see Baars, J.J.P. (1310) 74

Kan, M., see Feng, S. (1310) 67
Kawata, S., see Ito, N. (1310) 163
Kaziro, Y., see Ohtsuka, T. (1310) 223
Kiess, W., see Yang, Y. (1310) 317
Kimura, Y. and Yokoi-Hayashi, K.
Polymorphonuclear leukocyte lysosomal proteases, cathepsins B and D affect the fibrinolytic system in human umbilical vein endothelial cells (1310) 1
Kirby, R.B., see Slade, M.J. (1310) 25
Kiso, S., see Ito, N. (1310) 163
Kitada, K., see Yang, H. (1310) 303
Kitafima, T., see Mizuno, M. (1310) 97
Kitasato, H., see He, L.-P. (1310) 325
Komoszyński, M. and Wojtczak, A.
Apyrases (ATP diphosphohydrolases, EC 3.6.1.5): function and relationship to ATPases (1310) 233
Kondoh, O., see Yang, H. (1310) 303
Kuboki, Y., see Mizuno, M. (1310) 97
Kumada, M., see Hamada, K. (1310) 149
Kuzumaki, T., Matsuda, A., Ito, K. and Ishikawa, K.
Cell adhesion to substratum and activation of tyrosine kinases are essentially required for G1/S phase transition in BALB/c 3T3 fibroblasts (1310) 185

Lachuer, J., Legras, C., Ronfort, C., Barges, S., Cohen-Adad, F., Quivet, L., Duchamp, C., Verdier, G. and Barré, H.
Molecular cloning and sequencing of a cDNA encoding a β-thyroid hormone receptor in muscovy duckling (1310) 127
Larriba, G., see Basco, R.D. (1310) 110
Learmonth, M., see Beare, D. (1310) 81
Legras, C., see Lachuer, J. (1310) 127
Leone, M.-G., see Giacomelli, S. (1310) 269
Lerrant, Y., see Starzec, A.B. (1310) 348
Li, S., see Derbyshire, E.J. (1310) 86

Maciel, M.F.C., see Mele, P.G. (1310) 260
Mallucci, L., see Beare, D. (1310) 81
Malvy, C., see Ropert, C. (1310) 53
Mandeville, R., see Houde, M. (1310) 193
Marks, F., see Hanke, B. (1310) 137
Masure, S., see Houde, M. (1310) 193
Matsuda, A., see Kuzumaki, T. (1310) 185
Matsuzawa, Y., see Ito, N. (1310) 163
McKeehan, W.L., see Feng, S. (1310) 67
Mele, P.G., Dada, L.A., Paz, C., Cymeryng, C.B., Maciel, M.F.C., Neuman, M.I., Finkielstein, C.V., Mendez, C.F. and Podestá, E.J.
Site of action of proteinases in the activation of steroidogenesis in rat adrenal gland (1310) 260
Mendez, C.F., see Mele, P.G. (1310) 260
Menon, K.M.J., see Talavera, F. (1310) 10
Mile, B., see Glover, R.E. (1310) 5
Mishal, Jr., Z., see Ropert, C. (1310) 53
Miyamoto, C., see Yang, H. (1310) 303
Miyazaki, M., see Yang, H. (1310) 303
Mizuno, M., Kitafima, T., Tomita, M. and Kuboki, Y.
The osteoblastic MC3T3-E1 cells synthesized C-terminal propeptide of type I collagen, which promoted cell-attachment of osteoblasts (1310) 97
Morgan, E.H., see Qian, Z.M. (1310) 293
Myles, M.E. and Fain, J.N.
Effect of K^+-induced depolarization on carbachol-stimulated inositol tetrakisphosphate accumulation in rat cerebrocortical slices (1310) 19

Nakagawa, T., see Ito, N. (1310) 163
Nakahata, N., Imata, K., Okawa, T., Watanabe, Y., Ishimoto, H., Ono, T., Ohizumi, Y. and Nakanishi, H.
Mastoparan elicits prostaglandin E_2 generation and inhibits inositol phosphate accumulation via different mechanisms in rabbit astrocytes (1310) 60
Nakanishi, H., see Nakahata, N. (1310) 60
Neuman, M.I., see Mele, P.G. (1310) 260
Nicholls, D.M.E., see San-Marina, S. (1310) 277

Ohizumi, Y., see Nakahata, N. (1310) 60
Ohtsuka, T., Kaziro, Y. and Satoh, T.
Analysis of the T-cell activation signaling pathway mediated by tyrosine kinases, protein kinase C, and Ras protein, which is modulated by intracellular cyclic AMP (1310) 223
Okawa, T., see Nakahata, N. (1310) 60
Ono, T., see Nakahata, N. (1310) 60
Opdenakker, G., see Houde, M. (1310) 193
Op den Camp, H.J.M., see Baars, J.J.P. (1310) 74
Otero, A.S., see Yi, X.B. (1310) 343
Oth, D., see Houde, M. (1310) 193

Palmer, T.N., see Aggarwal, S.R. (1310) 284
Paz, C., see Mele, P.G. (1310) 260
Pócsi, I., see Slade, M.J. (1310) 25
Podestá, E.J., see Mele, P.G. (1310) 260
Posner, B.I., see Yu, Z.-W. (1310) 103
Price, R.G., see Slade, M.J. (1310) 25

Qian, Z.M., Tang, P.L. and Morgan, E.H.
Effect of lipid peroxidation on transferrin-free iron uptake by rabbit reticulocytes (1310) 293
Quivet, L., see Lachuer, J. (1310) 127

Rodrigues, J.M., see Ropert, C. (1310) 53
Ronfort, C., see Lachuer, J. (1310) 127
Ropert, C., Mi. hal, Jr., Z., Rodrigues, J.M., Malvy, C. and Couvreur, P.
Retrovirus budding may constitute a port of entry for drug carriers (1310) 53
Ros, M., see Ruiz, A. (1310) 168
Rowlands, C.C., see Glover, R.E. (1310) 5
Ruiz, A., Sanz, J.M., González-Calero, G., Fernández, M., Andrés, A., Cubero, A. and Ros, M.
Desensitization and internalization of adenosine A_1 receptors in rat brain by in vivo treatment with R-PIA: involvement of coated vesicles (1310) 168
Russo de Boland, A., see Vazquez, G. (1310) 157

San-Marina, S. and Nicholls, D.M.E.
Metal binding and ferritin immunoreactivity in a high molecular weight fraction from rat brain (1310) 277
Sanz, J.M., see Ruiz, A. (1310) 168
Satoh, H., see Yang, H. (1310) 303
Satoh, T., see Ohtsuka, T. (1310) 223
Serrano Jr., C.V., see Fraticelli, A. (1310) 251
Shelhamer, J.H., see Wu, T. (1310) 175
Shi, X.-P., Yin, K.-C., Ahern, J., Davis, L.J., Stern, A.M. and Waxman, L.
Effects of N^1-guanyl-1,7-diaminoheptane, an inhibitor of deoxyhypusine synthase, on the growth of tumorigenic cell lines in culture (1310) 119
Silvestrini, B., see Giacomelli, S. (1310) 269
Singh, J.K., Yan, Q., Dawson, G. and Banerjee, P.
Cell-specific regulation of the stably expressed serotonin 5-HT_{1A} receptor and altered ganglioside synthesis (1310) 201
Slade, M.J., Pócsi, I., Kirby, R.B., Jones, J.K., Ganz, S.E., Taylor, S.A. and Price, R.G.
Isolation of pepsin-resistant laminin fragments from human placenta: effect on epithelial cells cultured from the kidneys of patients with autosomal dominant polycystic kidney disease (ADPKD) (1310) 25
Smith, U., see Yu, Z.-W. (1310) 103
Starzec, A.B., Lerrant, Y., Bérault, A. and Counis, R.
Testosterone inhibits the basal and gonadotropin-releasing hormone-stimulated synthesis and release of newly synthesized α- and lutropin (LH) β-subunit but not release of stored LH in cultured rat pituitary cells (1310) 348
Stern, A.M., see Shi, X.-P. (1310) 119
Stickle, D. and Barber, R.
Collisions and encounters in simulations of receptor/GTP-binding protein interactions via simple diffusion (1310) 242
Sweitzer, N.M., see Yi, X.B. (1310) 343

Tai, H.-H., see Harding, L. (1310) 48
Takuwa, N., see Hamada, K. (1310) 149
Takuwa, Y., see Hamada, K. (1310) 149
Talavera, F., Chen, Z. and Menon, K.M.J.
IRS-I Expression on the luteinized rat ovary: IGF-I and cyclic AMP effects on IRS-I tyrosine phosphorylation (1310) 10
Tamura, S., see Ito, N. (1310) 163
Tanaka, K., see Hashimoto, C. (1310) 309
Tang, P.L., see Qian, Z.M. (1310) 293
Taniguchi, N., see Ito, N. (1310) 163
Taylor, S.A., see Slade, M.J. (1310) 25
Terashima, H., see Yang, H. (1310) 303
Thorpe, P.E., see Derbyshire, E.J. (1310) 86
Tomita, M., see Mizuno, M. (1310) 97
Tremblay, P., see Houde, M. (1310) 193
Tsushima, H., see Ito, N. (1310) 163

Van der Drift, C., see Baars, J.J.P. (1310) 74
Van Griensven, L.J.L.D., see Baars, J.J.P. (1310) 74
Vazquez, G. and Russo de Boland, A.
Involvement of protein kinase C in the modulation of 1α,25-dihydroxy-vitamin D_3-induced $^{45}Ca^{2+}$ uptake in rat and chick cultured myoblasts (1310) 157
Verdier, G., see Lachuer, J. (1310) 127
Vogels, G.D., see Baars, J.J.P. (1310) 74
Volotovski, I.D., see Grigorjev, I.V. (1310) 131

Wada, A., see Hashimoto, C. (1310) 309
Wang, F., see Feng, S. (1310) 67
Wang, Z., see Harding, L. (1310) 48
Watanabe, Y., see Nakahata, N. (1310) 60
Waxman, L., see Shi, X.-P. (1310) 119
Wells, V., see Beare, D. (1310) 81
Wijmenga, S.S., see Baars, J.J.P. (1310) 74
Willgoss, D.A., see Cowin, G.J. (1310) 32
Willgoss, D.A., see Cowin, G.J. (1310) 41
Wojtczak, A., see Komoszyński, M. (1310) 233
Wu, T., Ikezono, T., Angus, C.W. and Shelhamer, J.H.
Tumor necrosis factor-α induces the 85-kDa cytosolic phospholipase A_2 gene expression in human bronchial epithelial cells (1310) 175

Xu, J., see Feng, S. (1310) 67

Yamaguchi-Sihta, E., see Yang, H. (1310) 303
Yamamoto, R., see Hashimoto, C. (1310) 309
Yan, Q., see Singh, J.K. (1310) 201
Yang, H., Hamada, K., Terashima, H., Izuta, M., Yamaguchi-Sihta, E., Kondoh, O., Satoh, H., Miyazaki, M., Arisawa, M., Miyamoto, C. and Kitada, K.
A point mutation within each of two ATP-binding motifs inactivates the functions of elongation factor 3 (1310) 303
Yang, Y., Hoeflich, A., Butenandt, O. and Kiess, W.
Opposite regulation of IGF-I and IGF-I receptor mRNA and concomitant changes of GH receptor and IGF-II/M6P receptor mRNA in human IM-9 lymphoblasts (1310) 317
Yang, Y.-C., see Derbyshire, E.J. (1310) 86
Yi, X.B., Sweitzer, N.M. and Otero, A.S.
Neutralizing antibodies to nucleoside diphosphate kinase inhibit the enzyme in vitro and in vivo: evidence for two distinct mechanisms of activation of atrial currents by ATPγS (1310) 343
Yin, K.-C., see Shi, X.-P. (1310) 119
Yokoi-Hayashi, K., see Kimura, Y. (1310) 1
Yu, Z.-W., Posner, B.I., Smith, U. and Eriksson, J.W.
Effects of peroxovanadate and vanadate on insulin binding, degradation and sensitivity in rat adipocytes (1310) 103

Zhou, W., see Hamada, K. (1310) 149
Zweier, J.L., see Fraticelli, A. (1310) 251